



SCIGATE AUTOMATION (S) PTE LTD

 Bukit Batok Street 22 #01-01 Singapore 659592

 Tel: (65) 6561 0488
 Fax: (65) 6561 0588

 Email: sales@scigate.com.sg
 Web: https://scigate.com.sg/

Business Hours: Monday - Friday 8:30AM - 6:15PM

More Precision

reflectCONTROL Automation // Automated inspection of shiny surfaces



Inspection system for reflecting surfaces

reflectCONTROL Automation



- Automatic inspection of the entire component in several measuring positions
- High speed inspection
- High lateral resolution
- Cost reduction due to reduced defect slippage compared to visual control

Surface inspection

In many areas, ever-increasing requirements are being placed on the quality and appearance of surfaces. Particularly with reflecting surfaces, faultless, high quality production is expected. The parts are often subjected to manual inspection, which can lead to defects being missed due to tiredness of the inspectors. reflectCONTROL Automation is designed for automatic surface inspection of components whose dimensions require several measuring positions.

The compact sensor outputs a striped pattern on the display. This striped pattern is mirrored over the surface of the measurement object into the sensor cameras. Any defects on the surface will cause deviations from this striped pattern, which are evaluated by software.

Robot-guided measurement

The compact deflectometry sensor, which consists of a monitor for the striped pattern projection, as well as up to two cameras, is guided over the measurement object by a robot. The sensor enables the inspection of objects whose geometry requires several measuring positions.

Using the 3D model (CAD), the robot program is created. The robot guides the sensor over the relevant surfaces and inspects the surface. The defects found are evaluated and displayed in the 3D model.

Scope of supply


- Complete system incl. robot, sensor & evaluation unit, housing
- Standard robot: Kuka Agilus KR 10 R1100 sixx
- Software package for the configuration and evaluation of measurements
- Customer-specific modifications on request

Free feasibility study


In order to objectively evaluate your measurement task, Micro-Epsilon offers non-binding inspections of your boundary samples. Please feel free to contact us!

Application examples:


- Automotive industry: attachments such as bumper and interior parts
- Electronics industry: tablet PCs, display glasses, etc.
- Generally: high-gloss parts with complex geometries



Amplitude image



Curvature image



3D reconstruction of the detected defect




Sensor	RCS110-245
Measuring field	245mm x 116mm
Lateral resolution	>70µm
Inspection rate	<2 sec/measuring position
Weight	approx. 7kg
Robot	Kuka Agilus KR 10 R1100 sixx
Load capacity	10kg
Weight	54kg
Max. reach	1101mm
Overall system	reflectCONTROL Automation
Power supply	380/415V (50/60Hz, 16A)
Operating temperature	+5°C +40°C
Storage temperature	-10°C +60°C
Relative air humidity	10% 80% in declared temperature, non-condensing
Total weight	approx. 800kg incl. housing

Related products:

- reflectCONTROL Compact: fully integrated system for the inspection & 3D reconstruction of reflecting surfaces
- reflectCONTROL PSS 8005.D / Automotive: system for
- paint defect control of the entire car bodywork


Typical defects

Inclusion








Inclusion in the base paint




Hair







Paint drop



High performance sensors made by Micro-Epsilon



Sensors and systems for displacement and position



Optical micrometers, fiber optic sensors and fiber optics



Sensors and measurement devices for non-contact temperature measurement



Color recognition sensors, LED analyzers and color inline spectrometer



2D/3D profile sensors (laser scanner)



Measurement and inspection systems

Modifications reserved / Y9761572-A031127GKE / Print 06/2018



a MICRO-EPSILON company



ATENSOR Engineering and Technology Systems GmbH Im Stadtgut B2 · 4407 Steyr-Gleink / Austria Phone +43 7252 70690-0 · Fax +43 7252 70690-500 office@atensor.com · www.atensor.com

MICRO-EPSILON Headquarters Koenigbacher Str. 15 · 94496 Ortenburg / Germany Phone +49 8542 168-0 · Fax +49 8542 168-90 info@micro-epsilon.com · www.micro-epsilon.com