

Open Frame LCD

Open Frame LCD




55"(16:9)

Specifications



Model Name	W55L100-OFL2
Panel Size	55"(16:9)
Active Display Area(mm)	1209.6 (H) x 680.4 (V)
Resolution	1920 x 1080
Contrast Ratio	4000:1(typ.)
Display Color	16.7M
Brightness(cd/m ²)	500(typ.)
Viewing Angle(CR>=10)	-89~89(H);-89~89(V)
Standard Input Signal	1 x Mini D-sub 15pin In 1 x DVI In 1 x DVI-I Out (with OPS module) 1 x Component In (YPbPr) 1 x HDMI In 1 x Display port In 1 x RCA L/R In 1 x RCA L/R Out (with OPS module) 1 x Audio Jack In 1 x RS232 In (for control usage) 1 x RS232 Out (for control usage) 1 x LAN (for control usage)
Accessories	Power code VGA cable
Power Input	100 to 240V AC in, with external AC to DC Adapter
Power Consumption	145W typical , normal operation
Operating temperature	0~50°C
Storage Temperature	-10~60°C

Mechanical Drawing



SCIGATE AUTOMATION (S) PTE LTD

No.1 Bukit Batok Street 22 #01-01 Singapore 659592

Tel: (65) 6561 0488

Fax: (65) 6562 0588


Email: sales@scigate.com.sg

Web: www.scigate.com.sg

Business Hours: Monday - Friday 8.30am - 6.15pm

Open Frame LCD

Open Frame LCD



- ① **AC IN**
AC power input from the wall outlet.
- ② **MAIN POWER SWITCH**
Switch the main power on/off.
- ③ **RS232C OUT**
RS232C network output for the loop-through function.
- ④ **RS232C IN**
RS232C network input for the loop-through function.
- ⑤ **RJ-45**
LAN port connection from your OPS device.
- ⑥ **HDMI IN**
HDMI video/audio input.
- ⑦ **DisplayPort**
DisplayPort video input.
- ⑧ **DVI IN**
DVI-D video input.
- ⑨ **DVI OUT / VGA OUT**
DVI or VGA video output.
- ⑩ **VGA IN (D-Sub)**
VGA video input.
- ⑪ **VGA AUDIO IN**
Audio input for VGA source (3.5mm stereo phone).
- ⑫ **COMPONENT IN (BNC)**
Component YPbPr video source input.
- ⑬ **SPEAKER SWITCH**
Internal speaker on/off switch.
- ⑭ **AUDIO IN**
Audio input from external AV device (RCA).
- ⑮ **AUDIO OUT (RCA)**
Audio output from the AUDIO IN jack to an external AV device.
- ⑯ **SPEAKERS OUT**
External speakers output.
- ⑰ **KENSINGTON LOCK**
Used for security and theft prevention.