Chapter 11

GP-Viewer EX

GP-Viewer EX	11-1
Set Up GP-Viewer EX and Set Security Function	11-3
Set IP Address/License on GP Unit	11-5
Install GP-Viewer EX	11-6
Start GP-Viewer EX	11-8



GP-Viewer EX

Instruction

GP-Viewer EX is an application that displays and operates remotely located display screens on a computer. It enables you to recover and monitor activities for troubleshooting and perform daily maintenance.

To use this feature, the computer and the GP unit must be placed on the same LAN/WAN. GP-Viewer EX must be installed on the computer and the license must be set for the GP unit.

GP-Viewer EX can be installed from a GP-Pro EX (version 2.10 or higher) CD-ROM or can be downloaded from our homepage.



See GP-Pro EX Reference Manual 37.1.1 "GP-Viewer EX"





11 - 2



Instruction

(1) Set up GP-Viewer EX using GP-Pro EX

1) Create screen data on GP-Pro EX and save it.

On the [System Settings] window, select [Display Unit].

 Select the [Remote Viewer] tab.

System Settings 4 x Display Display	Display Unit Series GP3000 Series Model AGP-3500T Disentation Landscape (2)
Display Unit Lodic Programs Video/Maxie Fast	Display Unit Display Operation Mode Logic System Area Extended Setting: Remote Viewer Remote Viewer Filemote Viewer Filemote Viewer
Peripheral Settings Peripheral List Device/PLC Printer Inout Eaviement Settings Solid L/O. Settings L/O. Driver EEP: Server Modem	
Video Modules	FTP Enable FTP Destination @ CF Card @ USB Storage Folder [wiebSite

 Check [Enable Remote Viewer] and [Enable Screen Changes from Client].

Doing so allows you to change GP screens from the computer by using the GP-Viewer feature.



(2) Set Security Function

 In the [Common Settings] window, select [Set Password]. Or click the [Set Password] on the tool bar.



 Check [Set up Functions at Each Security Level] and set security levels for each of the GP-Viewer functions.

Level ID Password 1 DEMO 1101	Add User	ID	<u>Create</u>	<u>Delete</u>		
	Level	ID		Password		
	1	DEMO		1101		
		nctions at Each	Security Level		evel	
	Item		Security Level		Level	
Offline Mode 0	Item Offline M	ode	Security Level		0	
Offline Mode 0 Logic Monitor 0	Item Offline M Logic Mo	ode mitor	Security Level		0	
Offline Mode 0 Logic Monitor 0 Online Logic Editing 0	Item Offline M Logic Ma Online La	ode mitor ogic Editing	Security Level		0 0 0 0	
Offline Mode 0 Logic Monitor 0	Item Offline M Logic Ma Online La Read GP	ode nitor ogic Editing '-Viewer Data			0 0 0 0	

3) Save the project file and transfer it to the GP.





Instruction

On the offline mode of the GP unit, set an IP address and a license.

 Enter the offline mode on the GP display. Touch the top right corner first and then the bottom left corner within 0.5 second. The system menu will appear on the bottom of the GP display.



- 2) Touch [Offline].
- Select [Main Unit Settings] → [Extended Settings].

Touch the [GP-Viewer EX Key Code] entry field and enter the key code. Touch [OK] to complete entering.

For [Main Unit Settings] \rightarrow [Ethernet Local Settings], set an IP address and a subnet mask.

- 4) Touch [Exit] to return to the online mode.
- Offline CF Starting Errot Recet 1. Enter offine mode and touch [Main Unit Settings] in the item changeover buttons. 2. When [Main Unit Settings] opens, touch [Extended Settings]. When [Extended Settings] opens, touch the [Remote PC Access Key Code] input frame to display the numeric keypad. When the numeric keypad appears, enter a key code and touch [OK] (Example: [Remote PC Access Key Code] 1111-2222-3333) When you touch [Exit] to save the changes, GP is automatically restarted.
- 5) Connect the GP unit and the computer using a hub and Ethernet cables.



11 - 5



Install GP-Viewer EX

Install GP-Viewer EX

To install GP-Viewer EX on the computer, use the installation CD-ROM, GP-Pro EX, or download the installer from our homepage.

See GP-Pro EX Reference Manual

37.4 "Using GP-Viewer EX to Display and Operate with GP Data"

<1. Install from CD-ROM,GP-Pro EX >

1) Insert CD-ROM (Disk 2) of GP-Pro EX in the CD-ROM drive.

The GP-Pro EX set up menu screen will appear. Select [GP-Viewer EX].



Follow the instructions in the install wizard.



3) To specify the destination folder to install in, click [Change] and define the folder path within 80 characters.

Click [OK] to go to the next step.

👘 GP-View	er EX - InstallShield Wizard 🛛 🗙
Destinati	ion Folder
Click Ne:	xt to install to this folder, or click Change to install to a different folder.
	Install GP-Viewer EX to:
	C:\Program Files\Pro-face\GP-Viewer EX\ Change
	Fisiping you save time
	Technical Support Web Resource [Otasuke Pro!] Your favorite Tool!
	www.pro-face.com/otasuke/
InstallShield -	< Back Next > Cancel

4) The message window will appear. Click [Finish] to complete the installation.



<2. Download and Install from Website>

- 1) Download from our homepage "Otasuke Pro!". (http://www.proface.co.jp/otasuke/)
- 2) Double-click the downloaded file. In the confirmation message box, click [RUN].
- 3) Follow instructions in the install wizard.



Start GP-Viewer EX

Instruction

Start GP-Viewer EX

- Start up GP-Viewer EX. Here, select [Connect new].
- Specify an IP address of the GP unit to display.

	GP-Yiewer EX	×
(1)	 Connect new Connect with a file 	
\bigcirc	Recently used Mes File Name IP Address Node[Model]	
	The Name IF Accrets Nodeprodet	
	Server(Display Unit) connecting to	
	IP Address	
(2)	Node[Model] [cUnknown>]	
	Transmission Port 21 🛣 🗂 PASV	
	START CONNECTION GANCEL	

3) You can check or operate GP screens on the computer screen.

Example	
Die Sommitten Unter Just Die	
Device Honitor Screen	20(5)
Auto AR A B C D Run Level Run Stopped Manu Manu Manu Manu	Skopped Line
	timit
	•
	8
Nen fin Bant Tant Tant Man Int	No. of Concession, Name



11 - 8

